

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1669	(sensor or probe or detector) near2 (position\$3 or plac\$3 or releas\$3 or implant\$3) near3 tool	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 14:03
L2	672	1.ab,ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 10:47
L3	240	1.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 10:47
L4	255	(sensor or probe or detector) near2 (plac\$3 or releas\$3 or implant\$3) near3 tool	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 10:48
L5	40	4.ab,ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 10:48
L6	12	(sensor or probe or detector) near2 (retrieval) near3 tool	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 10:54
L7	63	(sensor or probe or detector) near2 (releas\$3) near3 tool	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 10:55
L8	7	(sensor or probe or detector) near2 (position\$3 or plac\$3 or insert\$3 or push\$3 or implant\$3) near3 tool same (sensor or probe or detector) near2 (releas\$3 or retriev\$3 or recover\$3 or collect\$3) near3 tool	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 13:32

L9	0	"5770809".pn. and leads	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 13:33
L10	2	1 and leads near10 handle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 14:04
L11	5100	"19" and leads near10 handle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 14:05
L12	62226	"81"/.clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 14:05
L13	127	L12 and leads near10 handle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 14:06
L14	0	L12 and (sensor or detector or probe) near2 leads near10 handle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 14:07
L15	5	L12 and (sensor or detector or probe) near2 leads	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 14:08
L16	38	(sensor or detector or probe) near2 leads near5 handle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 14:19

L17	78	(sensor or detector or probe) near2 wires near5 handle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 14:19
L18	76	17 not 16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 14:25
L19	0	"5106580".pn. and (wires or wiring or leads)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 14:26
L20	0	"5106580".pn. and (power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 14:31
L21	0	"5770809".pn. and (power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 14:38
L22	1	"4537071".pn. and (leads or wires or power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 14:38
S8	666	tool near3 (deposit\$3 or plac\$3 or placement or releas\$3 or implant\$3) near3 (sensor or probe or detector or transducer or thermistor or temperature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 15:10
S9	1	S8 near4 (opening or aperture or bore or hole) with depth	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 15:06

S10	12	S8 near4 (opening or aperture or bore or hole)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 15:09
S11	57	tool near3 (deploy\$3) near3 (sensor or probe or detector or transducer or thermistor or temperature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 15:09
S12	78	tool near3 (deploy\$4) near3 (sensor or probe or detector or transducer or thermistor or temperature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 15:09
S13	5	S12 near4 (opening or aperture or bore or hole)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 15:09
S14	28	(deploy\$4 or deposit\$3 or plac\$3 or placement or releas\$3 or implant\$3) near3 (sensor or probe or detector or transducer or thermistor or temperature) near4 depth near4 (hole or aperture or bore)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 15:16
S15	11	(install\$5) near3 (sensor or probe or detector or transducer or thermistor or temperature) near4 depth near4 (hole or aperture or bore)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 15:18
S16	9	(install\$5) near3 (sensor or probe or detector or transducer or thermistor or temperature) near4 depth near2 predetermined	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 15:33
S17	1269	tool near3 (plac\$3 or insert\$3 or implant\$3 or install\$5) near3 (sensor or probe or detector or transducer or thermistor or temperature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 15:20

S18	384	S17.ab,ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 15:33
S19	62226	"81"/.clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 15:33
S20	323	(sensor or probe or detector or transducer or thermistor or temperature).ab,ti. and S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 15:34
S21	47	(sensor or probe or detector or transducer or thermistor or temperature).ti. and S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 16:21
S22	303	(sensor or probe or detector or transducer or thermistor or temperature).ab. and S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 15:39
S23	276	S22 not S21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 15:41
S24	4	S19 and oxygen near2 sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 15:42
S25	7195	(sensor or probe or detector or transducer or thermistor or temperature).ti,ab. same socket	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 16:21

S26	1100	(sensor or probe or detector or transducer or thermistor or temperature).ti,ab. near2 socket	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 16:25
S27	105	(sensor or probe or detector or transducer or thermistor).ti,ab. near2 socket near5 (install\$6 or insert\$3 or plac\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 16:34
S28	27112	(sensor or probe or detector or transducer or thermistor).ti,ab. near1 (install\$6 or insert\$3 or plac\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 17:12
S29	66	(sensor or probe or detector or transducer or thermistor).ti,ab. near1 (install\$6 or insert\$3 or plac\$6) near2 tool	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 17:01
S35	4803	S28.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 16:59
S36	1630	(sensor or probe or detector or transducer or thermistor).ti,ab. near1 (install\$6).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 17:00
S37	79	(sensor or probe or detector or transducer or thermistor).ti,ab. near1 (install\$6 or insert\$3 or plac\$6) near2 instrument	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 17:07
S38	176	(sensor or probe or detector or transducer or thermistor).ti,ab. near3 (install\$6 or insert\$3 or plac\$6) near2 instrument	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 17:10

S39	97	S38 not S37	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 17:09
S40	2923	(sensor or probe or detector or transducer or thermistor)near3 (install\$6).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 17:11
S41	2323	(sensor or probe or detector or transducer or thermistor)near2 (install\$6).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 17:10
S42	1957	(sensor or probe or detector or transducer or thermistor)near3 (install\$3).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 17:11
S43	3944	(sensor or probe or detector or transducer or thermistor).ti,ab. with (install\$6 or insert\$3 or plac\$6) with (remov\$3 or releas\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 17:24
S44	35	S43 same socket	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 17:13
S45	35	(sensor or probe or detector or transducer or thermistor).ti,ab. with (install\$6 or insert\$3 or plac\$6) with (remov\$3 or releas\$3) near15 handle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 17:20
S46	62	(sensor or probe or detector or transducer or thermistor).ti,ab. with (plac\$6) near2 accurate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 17:23

S47	906	(sensor or probe or detector or transducer or thermistor).ti,ab. near2 socket	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 17:24
S48	474	(sensor or probe or detector or transducer or thermistor).ti. with (install\$6 or insert\$3 or plac\$6) with (remov\$3 or releas\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 17:25
S49	103	S48 and (tool or instrument or device).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 17:25